

Apr.2023

PIPO®

Product Catalogue

## Company Profile:

- Established in 2003, started tablets business since 2010
- Taiwanese invested, HK branched office (Logistics), Shenzhen (manufacturing, sales)
- With HDMI license, SISVEL MP3 license, SDA license
- Factory: 5000 SQ meters
- Clean room assembling lines
- Microsoft's OEM Partner
- National Hi-tech enterprise certified
- ISO 9001 certified
- Alibaba verified supplier

## Wide product ranges to meet most of your demand

- Products: Tablets, Laptop, All-in-One, Mini PC, IOT
- Products OS: Android, Windows and Linux
- CPU: Intel / MTK / Rockchips / UNISOC / Qualcomm

## Specialize in ODM/OEM service:

- We customize ID, product colors, user interface, booting logo, functions, packing, accessories.....
- Customize products for different application: Consumer electronics, education, gaming, medical, industrial, retail, hospitality, advertisement.....



# Contents

<b>Mini A-i-O</b> .....	3
<b>Tablet</b> .....	10
Rugged tablet .....	10
kids tablet .....	28
<b>2-in-1</b> .....	33
<b>A-i-O</b> .....	34
<b>Laptop</b> .....	35
Android laptop .....	48
<b>POS</b> .....	52

# Mini All-in-One PC & Tablet



## X8/X9/X10

Display	X8 { 7" 1280*800 } / X9 { 8.9" 1920*1280 } / X10 { 10.1" 1920*1200 }
Windows OS CPU	X8 / X9 / X10 { 3735 (1.8GHz) / 4020 (2.8GHz) } / X10 { J4125 (2.7GHz) }
Android/Linux/OS CPU	X8 / X9 / X10 { 3288 (1.6GHz) / 3399 (1.8GHz) } / X10 { PX30 (1.5GHz) }
Touch	X8 / X9 { Capacitive 5 - Touch } X10 { Capacitive 10 - Touch }
RAM	Windows 2GB/4GB/6GB/8GB   Android 2GB/4GB
Storage	Windows 32GB/64GB   Android 32GB/64GB
I/O Ports	Type A USB *4 + HDMI *1 + RJ45*1 + DC jack*1 + Audio Out*1 + Micro SD slot *1
Connection	wifi 802.11 ac/a/b/g/n+BT
Dimensions	X8 { 178*118*50 mm } / X9 { 217*147.5*60 mm } X10 { 248*161*70mm }
Multifunctions	Tablet PC+ All-in-One PC+ Mini PC+ Panel PC+TV box

# Mini All-in-One PC & Tablet



## X2/X11

Display	X2 { 8" 1280*800 } / X11 { 8.9" 1920*1200 }
Windows OS CPU	X2 / X11 { 3735 (1.8GHz) } X11 { 4020 (2.8GHz) }
Android/Linux/OS CPU	X2 / X11 { 3288 (1.6GHz) }
Touch	X2 / X11 { Capacitive 5 - Touch }
RAM	Windows 2GB/4GB   Android 2GB/4GB
Storage	Windows 32GB/64GB   Android 32GB/64GB
I/O Ports	Type A USB *4 + HDMI *1 + Rj45*1 + DC jack*1 + Audio Out*1 + Micro SD slot *1
Connection	wifi 802.11 ac/a/b/g/n+BT
Dimensions	X2 { 200*141*29 mm } X11 { 220*154*28 mm }
Multifunctions	Tablet PC+ All-in-One PC+ Mini PC+ Panel PC+ TV box

# Mini All-in-One PC & Tablet



X14



X15

Display	X14:14" 1920*1200; X15:12.3" 1920*1080
Windows OS CPU	J4125 /i3-5005U
Android/Linux/OS CPU	RK3399
Touch	Capacitive 10-Touch
RAM	Windows 6GB/8GB   Android 4GB
Storage	Windows 64GB/256GB   Android 64GB
I/O Ports	Type A USB *4 + HDMI *1 +Rj45*1+RS232*1+DC jack*1+Audio Out*1+Micro SD slot *1
Connection	wifi 802.11 ac/a/b/g/n+BT
Dimensions	281*173*39mm

# Industrial Fanless Mini PC



M10

Dimensions	136*120*44mm
Cover	Metal
CPU	N5105 /5100/4500/J4125
DDR	Onboard : LPDDR4X 4G/8G (Optional)
Storage	eMMC 64GB/128GB (Optional)
	HDD :2.5" (Optional)
WIFI	WIFI 802.11ac/WIFI 802.11ax(Optional)
Speaker	USB Type A *4+Lan port*2+HDMI+RS232*2
Adapter	19V/3.42A(65W) ; DC/Type-c(Optional)

# Mini PC



## M9

CPU	Intel® Alder Lake N95/N100/N300/N305
Cooling method type	Intelligent speed control ultra-quiet fan
Memory	LPDDR5 8G supports 4800 MHz
Storage	0G/128G/256G
SATA 3.0	Expandable 2.5- inch HDD/SSD (7MM)
Display interface	Intel® UHD Graphics Gen12/ 1 x DP , 4K@60Hz
	1 x HDMI , 4K@60Hz/ 1 x Type-C , 4K@60Hz(optional)
Audio	Realtek ALC269Q
WiFi	802.11 b/g/n/ac Dual-Band Wi-Fi, BT4.2(optional)
Expansion slot	1 x M.2 2280 SATA/NVME SSD (default SATA signal)
Network	2 x RJ45 , RTL8111H chip, dual gigabit network card
Front I/O	1x 3.5mm Audio Jack , 1x USB 3.0 ,3x USB2.0/ 1x PWR_SW(PWR_LED),1x RET_SW
Rear I/O	1x HDMI , 1x DP,1xType-C (optional),2xRJ45,1x DC-In 12V
Side I/O	1xTF card reader
size	124.5mm*112mm*43mm
Power input	DC 12V
OS	Win10 64 bit , Win11 64 bitLinux Ubuntu , CentOS , etc.



# Compute Stick:Mini PC+TV Box

Connect to a TV, this is a TV box

Connect to a monitor, this is a MiNi PC



X1<sup>S</sup>  
Compute Stick

CPU	N4020 up to 2.8GHz
RAM	4GB/6GB/8GB
ROM	32GB/64GB/128GB
WIFI	802.11ac/a/b/g/n+BT
I/O Ports	USB*1, Micro USB*1, HDMI, DC jack , microSD slot
OS	Windows 11

# Customized Multi-function Tablet



## P10X

OS	Android/Linux/Ubanto
Display	10.1 " 1920*1200
CPU	RK3399CPU speed: 1.8GHz,6-core(2*A72 + 4*A53)
Touch	Capacitive 10-Touch
RAM	4GB
Storage	64GB (EMMC)
I/O Ports	micro-SD slot,finger print,NFC,HDMI In,HDMI out
Connection	Wifi 802.11b/g/n, BT

# Rugged Tablet(IP67)



X4/X4R

Dimension	280*187*22mm
OS	Windows / Android
CPU	Windows :Intel N3450/N4200/J4205/N95/N100/N200    Android: Rockchip 3399
Weight	1080g
Display	10.1 inch 1920*1200 IPS 16:10 Capacitive 10-touch
Memory+Storage	4GB / 6GB / 8GB RAM +64GB / 128 GB / 256 GB ROM
Battery Capacity	7.4V/6000mAh,External removable lithium ion battery
Interface Configuration	USB Type A*2 ,Micro USB*1 ,RS232 *1 , RJ45*1 ,Micro HDMI *1, Earphone Jack*1, DC input 12V 3A , Pogo pin*1,TF Card *1 max:128G
SIM Slot	SIM x1 (Optional 3G / 4G)
Camera	Front 2.0MP,Rear 5.0 MP +2D Barcode Scanner
Fingerprint	SPI Fingerprint (windows hellow boot login)
Operate Temperature	[-20°C~60 °C]
NFC	Support(optional)
Wifi	WIFI 802.11(a/b/g/n/ac)+BT
GPS	Support

# Rugged Tablet(IP67)

## With Pogo pins for data and charging



X5/X5R

Dimension	22.2*14.7*22mm
OS	Windows / Android
CPU	Windows: Intel N4120, Android: MTK8768
Weight	632g
Display	8.1 inch 1200*1920 IPS 16:10 Capacitive 10-touch
Memory+Storage	4GB / 6GB RAM + 64GB / 128 GB ROM
Battery Capacity	3700mAh*7.6V
Interface Configuration	Type A*1 + Type C*1 + pogo pins for dock station ,micro HDMI x1,RJ45*1,Earphone Jack*1, DC input 12V 3A/ 5V 2A(Android) , Pogo pin*1
SIM Slot	SIM x1 (Optional 3G / 4G)
Camera	Front 2.0MP,Rear 5.0 MP +2D Barcode Scanner
Operate Temperature	[-20°C ~60 °C]
NFC	Support(optional)
Wifi	WIFI 802.11(a/b/g/n/ac) + BT
GPS	Support

# Rugged Tablet(IP68)



10-T3FXZDT30

Dimension	250.6*164.8*13.5mm
OS	Android 12 / 13
CPU	1.6 GHz [ T606 ]      2.0 GHz [ T616 ]
Weight	632g
Display	10.1 inch 1200*1920/800*1280 IPS
Memory+Storage	4GB / 6GB / 8GB RAM + 128 GB / 256GB 512GB ROM
Battery Capacity	10000mAh
Interface Configuration	Type C*1 + HDMI IN/OUT x1, Earphone Jack*1, Type C input 5V 2A
SIM Slot	Double SIM x1 ( GSM, WCDMATD-SCDMA, LTE-FDD, LTE-TDD)
Camera	Front 5.0MP, Rear 8.0 MP
Operate Temperature	[-20°C 60 °C]
Wifi	WIFI 2.4G/5G +BT 5.0
GPS	Support

# Rugged Tablet(IP67)



## X4N

Dimension	280*187*22mm
OS	Windows / Android
CPU	Windows :Intel N3450/N4200/J4205/N95/N100/N200    Android: Rockchip 3399
Weight	1080g
Display	10.1 inch 1920*1200 IPS 16:10 Capacitive 10-touch
Memory+Storage	4GB / 6GB / 8GB RAM +64GB / 128 GB / 256 GB ROM
Battery Capacity	7.4V/6000mAh,External removable lithium ion battery
Interface Configuration	USB Type A*2 ,Micro USB*1 ,RS232 *1 , RJ45*1 ,Micro HDMI *1, Earphone Jack*1, DC input 12V 3A , Pogo pin*1,TF Card *1 max:128G
SIM Slot	SIM x1 (Optional 3G / 4G)
Camera	Front 2.0MP,Rear 5.0 MP +2D Barcode Scanner
Fingerprint	SPI Fingerprint (windows hellow boot login)
Operate Temperature	[-20°C~60 °C]
NFC	Support(optional)
Wifi	WIFI 802.11(a/b/g/n/ac)+BT
GPS	Support

# Semi-Rugged Tablet(IP54)



N1

OS	Android 11 / 12 (Optional)
Display	10" 1280X800 /1920*1200(Optional)
CPU	1.5GHz ( MT8765)
	2.0GHz (MT 8766/ MT 8768)"
RAM	2GB/4GB (Optional)
Storage	16GB / 32GB / 64GB/128GB (Optional)
Camera	Front: 2.0MP/5.0 MP + Rear: 2.0MP/ 5.0MP/13MP (Optional)
Connection	2.4G/5G Wifi 802.11a/b/g/n / BT / 4G (Optional)

# Semi-Rugged Tablet(IP54)



## K803

OS	Android 11 / 12 / 13 (Optional)
Display	8" 1280X800 / 1920*1200(Optional)
CPU	1.6GHz ( SC9863)
	1.5GHz ( MT8765)
	2.0GHz (MT 8766/ MT 8768)
RAM	2GB/4GB (Optional)
Storage	16GB / 32GB / 64GB/128GB (Optional)
Camera	Front: 2.0MP/5.0 MP + Rear: 2.0MP/5.0MP/13MP (Optional)
Connection	2.4G/5G Wifi 802.11a/b/g/n / BT / 4G(Optional)



# 13.3" Android Tablet



133-LXJM1303

OS	Android 11/12/13(Optional)
Display	13.3" 1920*1280 ips
CPU	1.5GHz(MT6739)
	1.8GHz(T610)
	2.0GHz(MT6762/MT6761/MT8788/MT8183/MT8768/MT8766/T616/T618)
	2.2GHz(MT6771/MT8781)
	2.6GHz(MT6797)
RAM	4GB / 6GB / 8GB(Optional)
Storage	16GB / 32GB / 64GB / 128GB / 256GB(Optional)
Camera	Front: 2.0MP / 5.0 MP+ Rear:2.0MP/5.0MP/13MP(Optional)
Connection	2.4G/5G Wifi 802.11a/b/g/n / BT / 4G(Optional)


# 11.6"/11" Android Tablet



116-LDMS116



116-LXFX23



110-P3ZCA9



110-P3DMB11

Model	116-LDMS116/116-LXFX23	110-P3ZCA9/110-P3DMB11
OS	Android 11/12/13(Optional)	Android 11/12/13(Optional)
Display	11.6" 1920*1080 ips	11" 2176X1600 ips
CPU	1.5GHz( Mt6739) / 1.8GHz(T610)	1.5GHz( MT6739/MT8765/RK3326S) / 1.6GHz(SC9863A/T606/A133)
	2.0GHz(MT6762/MT6761/MT8788/MT8183/MT8768/MT8766/T616/T618)	1.8GHz(RK3566/T610)
	2.2GHz(MT6771/MT8781)	2.0GHz(MT6762/MT6761/MT8788/MT8183/MT8768/MT8766/T616)
	2.6GHz(MT6797)	2.2GHz(MT6771/MT8781)
RAM	4GB/6GB/8GB(Optional)	2GB/3GB/4GB/6GB/8GB(Optional)
Storage	16GB/32GB/64GB/128GB/256GB(Optional)	16GB/32GB/64GB/128GB/256GB(Optional)
Camera	Front: 2.0MP/5.0 MP + Rear: 2.0MP/5.0MP/13MP(Optional)	Front: 2.0MP/5.0 MP + Rear: 2.0MP/5.0MP/13MP(Optional)
Connection	2.4G/5G Wifi 802.11a/b/g/n / BT / 4G(Optional)	2.4G/5G Wifi 802.11a/b/g/n / BT / 4G(Optional)

# 10.5" Android Tablet



105-T3DMT60



105-T3DMS60

Model	105-T3DMT60	105-T3DMS60
OS	Android 11/12/13(Optional)	Android 11/12/13(Optional)
Display	10.5" 1920X1200	10.5" 1200*1920
CPU	1.3GHz(MT8321) / 1.4GHz(SC9832E )	1.5GHz( MT6739/MT8765/RK3326S) / 1.6GHz(SC9863A/T606/A133)
	1.5GHz(MT6739/MT8765/RK3326S) / 1.6GHz(SC9863A/T606/A133)	1.8GHz(RK3566/T610)
	1.8GHz(RK3566/T610) / 2.2GHz(MT6771/MT8781)	2.0GHz(MT6762/MT6761/MT8788/MT8183/MT8768/MT8766/T616)
	2.0GHz(MT6762/MT6761/MT8788/MT8183/MT8768/MT8766/T616)	2.2GHz(MT6771/MT8781)
RAM	2GB/3GB/4GB/6GB/8GB(Optional)	2GB/3GB/4GB/6GB/8GB(Optional)
Storage	16GB/32GB/64GB/128GB/256GB(Optional)	16GB/32GB/64GB/128GB/256GB(Optional)
Camera	Front: 2.0MP/5.0MP + Rear: 2.0MP/5.0MP/13MP(Optional)	Front: 2.0MP/5.0 MP + Rear: 2.0MP/5.0MP/13MP(Optional)
Connection	2.4G/5G Wifi 802.11a/b/g/n / BT / 4G(Optional)	2.4G/5G Wifi 802.11a/b/g/n / BT / 4G(Optional)

# 10.4" Android 5G Tablet



N5

OS	Android 12/13(Optional)
Display	10.4" 2000*1200
CPU	2.0GHz(T740)
	2.2GHz(MT6833)
	2.4GHz(MT8791)
	2.5GHz(MT6877)
	2.6GHz (MT8797)
RAM	4GB/6GB/8GB(Optional)
Storage	64GB/128GB/256GB(Optional)
Camera	Front: 2.0MP/5.0 MP + Rear: 2.0MP/5.0MP/13MP(Optional)
Connection	2.4G/5G Wifi 802.11a/b/g/n /5G LTE/BT (Optional)

# 10.4" Android Tablet



104-T3LDM100



104-P3DMF104



104-P3XJM105



N4

OS	Android 11/12/13(Optional)
Display	10.4" 1200*2000/2k
CPU	1.5GHz( MT6739/MT8765/RK3326S)
	1.6GHz(SC9863A/T606/A133)
	1.8GHz(RK3566/T610)
	2.0GHz(MT6762/MT6761/MT8788/MT8183/MT8768/MT8766/T616/T618)
	2.2GHz(MT6771/MT8781)
RAM	2GB/3GB/4GB/6GB/8GB(Optional)
Storage	16GB/32GB/64GB/128GB/256GB(Optional)
Camera	Front: 2.0MP/5.0 MP + Rear: 2.0MP/5.0MP/13MP(Optional)
Connection	2.4G/5G Wifi 802.11a/b/g/n / BT / 4G(Optional)

# 10.1" Android Tablet



101-96XJM106



101-96XFX1017



101-65XFF10



101-T3XJT40

Model	101-96XJM106/101-96XFX1017	101-65XFF10/101-T3XJT40
OS	Android 11/12/13(Optional)	Android 11/12/13(Optional)
Display	10.1" 1280X800/1920X1200(Optional)	10.1" 1280X800/1920X1200(Optional)
CPU	1.3GHz(MT8321) / 1.4GHz(SC9832E)	1.3GHz(MT8321) / 1.4GHz(SC9832E)
	1.5GHz(MT6739/MT8765/RK3326S) / 1.6GHz(SC9863A/T606/A133)	1.5GHz(MT6739/MT8765/RK3326S) / 1.6GHz(SC9863A/T606/A133)
	1.8GHz(RK3566/T610) / 2.2GHz(MT6771/MT8781)	1.8GHz(RK3566/T610) / 2.2GHz(MT6771/MT8781)
	2.0GHz(MT6762/MT6761/MT8788/MT8183/MT8768/MT8766/T616)	2.0GHz(MT6762/MT6761/MT8788/MT8183/MT8768/MT8766/T616)
RAM	2GB/3GB/4GB/6GB/8GB(Optional)	2GB/3GB/4GB/6GB/8GB(Optional)
Storage	16GB/32GB/64GB/128GB/256GB(Optional)	16GB/32GB/64GB/128GB/256GB(Optional)
Camera	Front: 2.0MP/5.0MP + Rear: 2.0MP/5.0MP/13MP(Optional)	Front: 2.0MP/5.0MP + Rear: 2.0MP/5.0MP/13MP(Optional)
Connection	2.4G/5G Wifi 802.11a/b/g/n / BT / 4G(Optional)	2.4G/5G Wifi 802.11a/b/g/n / BT / 4G(Optional)

# 10.1" Android Tablet



101-T3ZXX890



101-P3DMG20



101-P3XFX70



101-P3XJA1

OS	Android 11/12/13(Optional)
Display	10.1" 1280X800/1920X1200(Optional)
CPU	1.3GHz(MT8321) / 1.4GHz(SC9832E)
	1.5GHz(MT6739/MT8765/RK3326S) / 1.6GHz(SC9863A/T606/A133)
	1.8GHz(RK3566/T610) / 2.2GHz(MT6771/MT8781)
	2.0GHz(MT6762/MT6761/MT8788/MT8183/MT8768/MT8766/T616)
RAM	2GB/3GB/4GB/6GB/8GB(Optional)
Storage	16GB/32GB/64GB/128GB/256GB(Optional)
Camera	Front: 2.0MP/5.0MP + Rear: 2.0MP/5.0MP/13MP(Optional)
Connection	2.4G/5G Wifi 802.11a/b/g/n / BT / 4G(Optional)

# 10.1" Android Tablet



101-66XJS6



101-06LDW10



P30

OS	Android 11/12/13(Optional)
Display	10.1" 1280X800/1920X1200(Optional)
CPU	1.3GHz(MT8321) / 1.4GHz(SC9832E)
	1.5GHz(MT6739/MT8765/RK3326S) / 1.6GHz(SC9863A/T606/A133)
	1.8GHz(RK3566/T610) / 2.2GHz(MT6771/MT8781)
	2.0GHz(MT6762/MT6761/MT8788/MT8183/MT8768/MT8766/T616)
RAM	2GB/3GB/4GB/6GB/8GB(Optional)
Storage	16GB/32GB/64GB/128GB/256GB(Optional)
Camera	Front: 2.0MP/5.0MP + Rear: 2.0MP/5.0MP/13MP(Optional)
Connection	2.4G/5G Wifi 802.11a/b/g/n / BT / 4G(Optional)



# 10.1" Android Tablet Support Docking speaker



N2

OS	Android 11 / 12 / 13(Optional)
Display	10.1 " 1280X800 / 1920X1200 (Optional)
CPU	1.6GHz (SC9863A / T606 )
	1.8GHz (T610)
	2.0GHz (T616)
RAM	2GB / 3GB / 4GB / 6GB / 8GB (Optional)
Storage	16GB / 32GB / 64GB / 128GB / 256GB (Optional)
Camera	Front: 2.0MP / 5.0 MP + Rear: 2.0MP / 5.0MP / 13MP (Optional)
Connection	2.4G/5G Wifi 802.11a/b/g/n / BT / 4G (Optional)

# 8" Android Tablet



8-63LDE8



8-06LDV806




8-63XJS85

OS	Android 11/12/13(Optional)
Display	8" 1280*800/1920*1200
CPU	1.3GHz(MT8321) / 1.4GHz(SC9832E)
	1.5GHz(MT8765/RK3326S) / 1.6GHz(SC9863A/T606/A133)
	1.8GHz(RK3566/T610)
	2.0GHz(MT8766/T616)
RAM	1GB/3GB/4GB(Optional)
Storage	8GB/16GB/32GB/64GB/128GB(Optional)
Camera	Front: 2.0MP/5.0MP + Rear: 2.0MP/5.0MP/13MP(Optional)
Connection	2.4G/5G Wifi 802.11a/b/g/n/ BT / 4G(Optional)

# 8" Android Tablet



8-63XYY801



8-66XJA8

OS	Android 11/12/13(Optional)
Display	8" 1280*800/1920*1200
CPU	1.3GHz(MT8321) / 1.4GHz(SC9832E)
	1.5GHz(MT8765/RK3326S) / 1.6GHz(SC9863A/T606/A133)
	1.8GHz(RK3566/T610)
	2.0GHz(MT8766/T616)
RAM	1GB/3GB/4GB(Optional)
Storage	8GB/16GB/32GB/64GB/128GB(Optional)
Camera	Front: 2.0MP/5.0MP + Rear: 2.0MP/5.0MP/13MP(Optional)
Connection	2.4G/5G Wifi 802.11a/b/g/n / BT / 4G(Optional)

# 8" Kids tablet



K8-63LDT8

OS	Android 11 / 12 / 13 (Optional)
Display	8" 1280*800/1920*1200
CPU	1.3GHz(MT8321) / 1.4GHz(SC9832E) / 1.5GHz(MT8765/RK3326S) / 1.6GHz(SC9863A/T606/A133) / 1.8GHz (RK3566/T610) / 2.0GHz (MT8766/T616)
RAM	1GB/3GB/4GB (Optional)
Storage	8GB/16GB / 32GB / 64GB/128GB (Optional)
Camera	Front: 2.0MP / 5.0 MP + Rear: 2.0MP / 5.0MP / 13MP (Optional)
Connection	2.4G/5G Wifi 802.11a/b/g/n / BT / 4G (Optional)

# 7"/8" Kids tablet



S7 (With Cover)



S8 (With Cover)

OS	Android 11 / 12 / 13 (Optional)
Display	7" 1024X600, 8" 1280*800/1920*1200
CPU	1.3GHz(MT8321) / 1.4GHz(SC9832E) / 1.5GHz(MT8765/RK3326S) / 1.6GHz(SC9863A/T606/A133) / 1.8GHz (RK3566/T610) / 2.0GHz (MT8766/T616)
RAM	1GB/3GB/4GB (Optional)
Storage	8GB/16GB / 32GB / 64GB/128GB (Optional)
Camera	Front: 2.0MP / 5.0 MP + Rear: 2.0MP / 5.0MP / 13MP (Optional)
Connection	2.4G/5G Wifi 802.11a/b/g/n / BT / 4G (Optional)

# 7" Kids tablet



S7-8-63XJ78 (With Cover)

OS	Android 11 / 12 / 13 (Optional)
Display	7" 1024X600
CPU	1.3GHz(MT8321) / 1.4GHz(SC9832E) / 1.5GHz(MT8765/RK3326S) / 1.6GHz(SC9863A/T606/A133) / 1.8GHz (RK3566/T610) / 2.0GHz (MT8766/T616)
RAM	1GB/3GB/4GB (Optional)
Storage	8GB/16GB / 32GB / 64GB/128GB (Optional)
Camera	Front: 2.0MP / 5.0 MP + Rear: 2.0MP / 5.0MP / 13MP (Optional)
Connection	2.4G/5G Wifi 802.11a/b/g/n / BT / 4G (Optional)

# 7" Kids tablet



K7-63LS728



K7-Q8LS748

OS	Android 11 / 12 / 13 (Optional)
Display	7" 1024X600
CPU	1.3GHz(MT8321) / 1.4GHz(SC9832E) / 1.5GHz(MT8765/RK3326S) / 1.6GHz(SC9863A/T606/A133) / 1.8GHz (RK3566/T610) / 2.0GHz (MT8766/T616)
RAM	1GB/3GB/4GB (Optional)
Storage	8GB/16GB / 32GB / 64GB/128GB (Optional)
Camera	Front: 2.0MP / 5.0 MP + Rear: 2.0MP / 5.0MP / 13MP (Optional)
Connection	2.4G/5G Wifi 802.11a/b/g/n / BT / 4G (Optional)

# 7" Kids tablet



K7-Q8ZC633



K7-Q8ZC637

OS	Android 11 / 12 / 13 (Optional)
Display	7" 1024X600
CPU	1.3GHz(MT8321) / 1.4GHz(SC9832E) / 1.5GHz(MT8765/RK3326S) / 1.6GHz(SC9863A/T606/A133) / 1.8GHz (RK3566/T610) / 2.0GHz (MT8766/T616)
RAM	1GB/3GB/4GB (Optional)
Storage	8GB/16GB / 32GB / 64GB/128GB (Optional)
Camera	Front: 2.0MP / 5.0 MP + Rear: 2.0MP / 5.0MP / 13MP (Optional)
Connection	2.4G/5G Wifi 802.11a/b/g/n / BT / 4G (Optional)



# 2-in-1 (tablet+Laptop)



SF101/SF11/SF121/SF123/SF126/SF133



Display	10.1"/11.6"/12.1"/12.3"/12.6"/13.3"(Optional) Resolution : HD/FHD/2K:2560*1440(max)
Z-height	9.35mm (10.1")/9.0mm (11.6")/9.5mm (12.1") 8.5mm (12.3")/8.5mm (12.6")/9.3mm (13.3")
Hinge	2 in 1
Weight	0.70kg (10.1")/0.75kg(11.6")/0.80kg (12.1") 0.85kg (12.3")/0.90kg(12.6")/1.00kg (13.3")
Cover	B Cover Metal ,A Cover Plastic
CPU	Intel 10th i5-10210Y i7-10510Y i3-10100Y/N5095/N4020/N4120
FTM	F-TPM
DDR	Onboard LPDDR4/4X 4GB/8GB/12GB (Optional)
Storage	SSD Slot 1 : SATA 3.0*1(M.2 Size : 2280)
WIFI	WIFI 802.11ac/WIFI 802.11ax(Optional)
Camera	2M(Front)+5M(Rear)
Speaker	8/1.0W*2
Battery	10.1"--7.6V 4000 mah (31 wh),11.6"--7.6V 4000 mah(31wh) 12.1"--7.6V 5000mah(38wh), 12.3"--7.6V 5000mah(38wh) 12.6"--7.6V 5000mah(38wh),13.3"--7.6V 5000mah(38wh)
Adapter	DC 12V/2A 24W (GLK-R)/DC 12V/3A 36W (JSL)

# All-in-One PC



AIO17-DA  
 AIO19-DA  
 AIO21-DA  
 AIO23-DA  
 AIO27-DA

Display	17.3"/19.5"/21.5"/23.8"/27"(Optional); Resolution: HD/FHD/2K:2560*1440(max)
Dimensions	541.6mm*163mm*409.3mm(23.8")
Cover	Full Plastic
CPU	intel 10/11/12 th i3/i5/i7
TPM	F-TPM(Standard)/D-TPM(Optional)
DDR	Onboard : DDR4 4GB/8GB/16GB (Optional)
Storage	EMMC : 64GB/128GB(Optional) HDD : 2.5"(Optional)
WIFI	WIFI 802.11ac/a/b/g/n (Optional)
Camera	2M/1M(Optional)
Speaker	4/3.0W*2
Battery	11.4V5000 mAh(57W)
Adapter	19V/3.42A(65W);DC/Type-c(Optional)
I/O Port	USB3.2(gen1 5Gbps)*5 + RJ45+ HDMI + DC Jack+TF Card+Audio Jack 3.5mm

# 13.3"/14"/15.6"/17.3" Laptop



L13-XU  
L14-XU  
L15-XU  
L17-XU

Display	13.3"/14"/15.6"/17.3"(Optional);Resolution:HD/FHD/2K:2560*1440(max)
Z-height	19.5mm(13.3")/21.5mm (14")/19.95mm(17.3")
	22M with HDD/19.5mm without HDD(15.6")
Hinge	135°(Standard)/180°(Optional max)
Weight	1.40kg(13.3")/1.45kg(14")/1.75kg(15.6")/1.8kg(16")/1.85kg(17.3")
Cover	Full Plastic
CPU	Intel 10/11/12th: i3 1115G4/1215U i5 1035G1/G4/G7/1135G7/1235U i7 1065G7/1165G7/1255U
TPM	F-TPM(Standard)/D-TPM(Optional)
DDR	Onboard & SO-DIMM *1(Optional); PCBA Version different Onboard : LPDDR5 16GB/32GB(Optional) SO-DIMM: DDR4 16GB/32GB/64GB (Optional)
Storage	SSD Slot 1 : PCIe 3.0 & SATA 3.0 *1(M.2 Size : 2280) SSD Slot 2 : SATA 3.0 *1 (M.2 Size : 2280)
WIFI	WIFI 802.11ac /WIFI 802.11ax(Optional)
Camera	2M/1M(Optional)
Speaker	8Ω/1.0W*2(Standard)/8Ω/1.0W*4(Optional)
Battery	13.3"--11.4V3300 mAh(38W) ;14"--11.4V3400 mAh(39W) 15.6"--11.4V4000 mAh(45.6W) ;17.3"--11.4V4000 mAh(45.6W)
Adapter	19V/3.42A(65W);DC/Type-c(Optional)
I/O Port	Left:USB3.0(gen1 5Gbps)+ HDMI 1.4+Type-C(PD+DP+USB)+DC4.0 Right:TF Card *1+Audio Jack 3.5mm+USB3.0(gen1 5Gbps)*1+RJ45

# 14"/15.6"/16" Laptop



L14TU-10  
L15TU-10  
L16TU-10

Display	14"/15.6"/16" (Optional) ; Resolution : HD/FHD/QHD(max)
Z-height	19.9mm (14"/16" )/19mm (15.6")
Hinge	135°- 180°(max)
Weight	1.5kg(14")/1.75kg(15.6") /1.85kg(16.0")
Cover	Full Plastic
CPU	"intel 10/11/12th : i3 1115G4/1215U i5 1035G1/G4/G7/1135G7/1235U i7 1065G7/1165G7/1255U"
TPM	Onboard or SO-DIMM(Optional) ; PCBA Version different
DDR	Onboard : LPDDR5 8GB/12GB/16GB/24GB (Optional) SO-DIMM : DDR4*2 16GB/32GB/64GB(Optional)
Storage	SSD Slot 1 : PCIE 3.0/SATA 3.0 *1(M.2 Size : 2280) SSD Slot 2 : PCIE 4.0 /SATA3.0 *1(M.2 Size : 2280)
WIFI	WIFI 802.11ac/WIFI 802.11ax(Optional)
Camera	2M/1M w/shutter door(Optional)
Speaker	8Ω/1.0W*2(Standard)/8Ω/1.0W*4(Optional)
Battery	51.3W 14",62.7W 15.6", 74W 16.0"
Adapter	20V/5A, DC/Type-c(Optional)
I/O Port	Left:Kensington Lock*1+ USB3.2(gen1 5Gbps)+ HDMI 1.4+Type-C(PD+ DP+USB)+DC4.0 Right:TF Card *1+USB3.2(gen1 5Gbps)*1+USB3.2(gen1 5Gbps)+RJ45+ Audio Jack 3.5mm

# 11.6"/13.3"/14"/15.6" Laptop



L11-X  
L13-X  
L14-X  
L15-X

Display	11.6"/13.3"/14"/15.6"(Optional);Resolution:HD/FHD/2K:2560*1440(max)
Z-height	15.5mm(11.6")/15.9mm(13.3")/16.9mm(14"/15.6")/19.95mm(17.3")
Hinge	135°(Standard)/180°(Optional max)
Weight	1.3kg(11.6")/1.35kg(13.3")/1.38kg(14")/1.38kg(14")
Cover	1.50kg(15.6")/1.60kg(17.3")
CPU	A/D Cover Metal,B/C Cover Plastic N5095/N5105/N4500/J4125/N4020/N4120
TPM	F-TPM
DDR	Onboard LPDDR4/4X LPDDR3 4GB/8GB/16GB(Optional)
Storage	SATA 3.0*1(M.2 Size:2280)
WIFI	WIFI 802.11ac/WIFI 802.11ax(Optional)
Camera	2M/1M(Optional)
Speaker	8Ω/1.0W*2
Battery	11.6"--7.6V4500 mAh(34W),13.3"--7.6V6000 mAh(46W) 14"-- 7.6V6500mAh(50W),15.6"--7.6V8000mAh(61W)
Adapter	DC 12V/2A 24W (GLK-R)/DC 12V/3A 36W (JSL)
I/O Port	Left:Type-C(PD+DP+USB)+HDMI1.4+DC4.0+USB3.2(gen1 5Gbps) Right:TF Card *1+Audio Jack 3.5mm+USB3.2(gen1 5Gbps)*1

# 14"/15.6" Laptop



L14-AU  
L15-AU

Display	14"/15.6"(Optional);Resolution: HD/FHD/2K:2560*1440(max)
Z-height	16.6mm(14")/17.1mm(15.6")
Hinge	135°(max)
Weight	1.45kg(14")/1.83kg(15.6")
Cover	A/C/D Cover Metal,B Cover Plastic
CPU	intel 10/11/12th:i3:1115G4/1215U; i5:1035G1/G4/G7/1135G7/1235U i7 1065G7/1165G7/1255U
TPM	F-TPM(Standard)/D-TPM(Optional)
DDR	Onboard/SO-DIMM*1(Optional)PCBA Version different Onboard: LPDDR5 16GB/32GB(Optional) SO-DIMM: DDR4 16GB/32GB/64GB(Optional)
Storage	SSD Slot 1: PCIe 3.0/SATA 3.0*1(M.2 Size:2280) SSD Slot 2: SATA3.0 *1(M.2 Size:2280)
WIFI	WIFI 802.11ac/WIFI 802.11ax(Optional)
Camera	2M/1M w/shutter door(Optional)
Speaker	8Ω/1.0W*2(Standard)/8Ω/1.0W*4(Optional)
Battery	14"--11.4V4500mAh(52W) 15.6"--11.4V6200mAh(71W)
Adapter	19V/3.42A(65W); DC/Type-c(Optional)
I/O Port	Left:USB3.0(gen1 5Gbps)+ HDMI 1.4+ Type-C(PD+DP+USB)+DC4.0 Right:TF Card *1+USB3.0(gen1 5Gbps)*1+USB3.0(gen1 5Gbps)+Audio Jack 3.5mm

# 14"/15.6" Laptop



L14TU-G1

L15TU-G1

Display	14"/15.6" (Optional); Resolution:HD/FHD/2K:2560*1440(max)
Z-height	20.8mm (14")/20.1mm (15.6")
Hinge	135°(max)
Weight	1.4kg(14")/1.65kg(15.6")
Cover	Full Plastic (14")/A Cover Metal,B/C/D Cover Plastic(15.6")
CPU	Intel 10/11/12 th i5:11400H/12500H i7:11800H/12800H (Optional)
TPM	F-TPM(Standard)/D-TPM(Optional)
DDR	Onboard & SO-DIMM*2(Optional);PCBA Version different
	Onboard :LPDDR5 8GB/12GB/16GB/24GB (Optional)
	SO-DIMM :DDR4 16GB/32GB/64GB(Optional)
Storage	SSD Slot 1:PCIe 3.0/SATA 3.0*1(M.2 Size:2280)
	SSD Slot 2:PCIe 4.0/SATA 3.0*1(M.2 Size:2280)
WIFI	WIFI 802.11ac/WIFI 802.11ax(Optional)
Camera	2M/1M w/shutter door(Optional)
Speaker	4Ω/2.0W*2(Standard)/4Ω/2.0W*4(Optional)
Battery	11.4V5000mAh(57W 14")/11.4V6150mAh(73W 15.6")
Adapter	20V/5A(100W) ;DC/Type-c(Optional)
I/O Port	Left:USB3.2(gen1 5Gbps)+ HDMI 1.4+Type-C(PD+DP+USB)+DC4.0
	Right:TF Card *1+USB3.2(gen1 5Gbps)*1+USB3.2(gen1 5Gbps)+Audio
	Jack 3.5mm

# 14"/15.6" Laptop



L14-W1  
L15-W1

Display	14"/15.6"(Optional); Resolution:HD/FHD/2K:2560*1440(max)
Z-height	16.6mm (14")/17.1mm (15.6")
Hinge	135°(max)
Weight	1.45kg(14")/1.83kg(15.6")
Cover	A/C/D Cover Metal,B Cover Plastic
CPU	intel 10/11/12th:i3:1115G4/1215U i5:1035G1/G4/G7/1135G7/1235U i7:1065G7/1165G7/1255U
TPM	F-TPM(Standard)/D-TPM(Optional)
DDR	Onboard/SO-DIMM*1(Optional)PCBA Version different Onboard:LPDDR5 16GB/32GB(Optional) SO-DIMM:DDR4 16GB/32GB/64GB(Optional)
Storage	SSD Slot 1:PCIe 3.0/SATA 3.0*1(M.2 Size:2280) SSD Slot 2:SATA3.0 *1(M.2 Size:2280)
WIFI	WIFI 802.11ac/WIFI 802.11ax(Optional)
Camera	2M/1M w/shutter door(Optional)
Speaker	8Ω/1.0W*2(Standard)/8Ω/1.0W*4(Optional)
Battery	14"--11.4V4500 mAh(52W) 15.6"--11.4V6200 mAh(71W)
Adapter	19V/3.42A(65W); DC/Type-c(Optional)
I/O Port	Left:USB3.2(gen1 5Gbps)+ HDMI 1.4+ Type-C(PD+DP+USB)+DC4.0 Right:TF Card *1+USB3.2(gen1 5Gbps)*1+USB3.2(gen1 5Gbps)+Audio Jack 3.5mm



# 16" Gaming Notebook



G16-H2

Display	16 "Resolution :2k:2560*1440/4k:4096*2160(max) ,IPS
z-height	362.2*262.9*27mm
Cover	A cover metal ,B/C/D cover Plastic
CPU	intel 12 / 13 th: i5 12500H / 13420H / i7 12800H / 13800H / i9 13900HK
GPU	*NV GN21 -X2:RTX 4060 /X4: RTX 4060TI /X6: RTX 4070TGP: 140W(max)*
DDR	GDDR6: 8GB(max) + SO-DIMM *2,DDR5 16GB/32GB(Optional)
Storage	SSD Slot 1 : PCIE 3.0/SATA 3.0*1(M.2 Size : 2280) SSD Slot 2 : PCIE 4.0 *1(M.2 Size : 2280)
WIFI	WIFI 802.11ac/WIFI 802.11ax(Optional),BT 4.2/5.1
Camera	2M/1M w/shutter door(Optional)
Speaker	Built-in stereo speakers 4Ω/2.0W*2, 4Ω/2.0W*4(Optional)
Battery	15.2V/5300 mAh (80W)8.5 hours
I/O Ports	USB 3.2(gen2,10GB)*3+USB Type C(Data+DP+Charging)*1+TBT 4.0 *1 Headphone jack *1 + HDMI *1+RJ45*1

# 15.6" Laptop



W15

Display	15.6" Resolution:HD/FHD/2K:2560*1440(max)
Z-height	19.5mm without HDD(15.6")
Hinge	135°(Standard)/180°(Optional max)
Weight	1.8kg(16")
Cover	Full Plastic
CPU	intel 10/11/12th : i3 1115G4/1215U i5 1035G1/G4/G7/1135G7/1235U i7 1065G7/1165G7/1255U
TPM	F-TPM(Standard)/D-TPM(Optional)
DDR	Onboard & SO-DIMM*1(Optional);PCBA Version different Onboard: LPDDR5 16GB/32GB(Optional) SO-DIMM: DDR4 16GB/32GB/64GB (Optional)
Storage	SSD Slot 1:PCIe 3.0 & SATA 3.0 *1(M.2 Size: 2280) SSD Slot 2:SATA 3.0 *1 (M.2 Size: 2280)
WIFI	WIFI 802.11ac /WIFI 802.11ax(Optional)
Camera	2M/1M(Optional)
Speaker	8Ω/1.0W*2(Standard)/8Ω/1.0W*4(Optional)
Battery	15.6"-11.4V4000mAh(45.6W)
Adapter	19V/3.42A(65W);DC/Type-c(Optional)
I/O Port	Left:Type-C(PD+DP+USB)+HDMI1.4+DC4.0+USB3.2(gen1 5Gbps) Right:TF Card *1+Audio Jack 3.5mm+USB3.2(gen1 5Gbps)*1

# 11.6"/14.1" Laptop



Y11-TU  
Y14-TU-1

Display	11.6"/14"(Optional); Resolution:HD/FHD/2K:2560*1440(max)
Z-height	16.6mm(11.6" Full plastic)/17.2mm (14"Full plastic)
Hinge	135°(max) (11.6"/14"clamshell)360°(max) (11.6"/14"yoga)
Weight	1.1kg(11.6")/1.5kg(14")
Cover	Full plastic
CPU	N5095/N5105/N4500/J4125/N4020/N4120
TPM	F-TPM(Standard)/D-TPM(Optional)
DDR	Onboard :LPDDR5/LPDDR4X 4GB/8GB/16GB(Optional)
Storage	SSD Slot 1 :PCIe 3.0/SATA 3.0 *1(M.2 Size:2280)
	SSD Slot 2 :SATA 3.0 (Size:2280`)
WIFI	WIFI 802.11ac/WIFI 802.11ax(Optional)
Camera	2M/1M w/shutter door(Optional)
Speaker	4Ω/2.0W*2(Standard)/4Ω/2.0W*4(Optional)
Battery	11.4V4500mAh (51.3W/11.6"/14")
Adapter	DC 12V/2A 24W (GLK-R)/DC 12V/3A 36W (JSL)
I/O Port	miniSD scard*1 up to128GB or SSD+USB3.0(gen1 ,5GB)*2+USB
	Type C(Data+DP+Charging)*1+3.5mm standard headphone jack *1+
	HDMI A Type+DC*1 (Optional)

# 14.1" Laptop



Y14-TU-2

Display	14" Resolution:HD/FHD/2K:2560*1440(max)
Z-height	16.5mm (14"A/C/D Metal)19.3mm(14"Full Plastic)
	18.1mm (14"A Metal,B/C/D Plastic,Yoga)
Hinge	135°(Notebook),360°(Yoga)
Weight	1.40kg(14" A/C/D Metal)
	1.35kg(14" Full Plastic)
	1.65kg(14" Yoga)
CPU	intel 10/11/12th : i3 1115G4/1215U i5 1035G1/G4/G7/1135G7/1235U i7 1065G7/1165G7/1255U
TPM	F-TPM(Standard)/D-TPM(Optional)
DDR	Onboard/SO-DIMM *1(Optional); PCBA Version different Onboard :LPDDR5 16GB/32GB/64GB(Optional)
Storage	SO-DIMM :DDR4 16GB/32GB/64GB(Optional) SSD Slot 1 :PCIe 3.0/SATA 3.0*1(M.2 Size:2280) SSD Slot 2 :SATA3.0*1(M.2 Size:2280)
WIFI	WIFI 802.11ac/WIFI 802.11ax(Optional)
Camera	2M/1M w/shutter door(Optional)
Speaker	8Ω/1.0W*2(Standard)/8Ω/1.0W*4(Optional)
Battery	14"--11.4V4500mAh(52W)
Adapter	19V/3.42A(65W);DC/Type-c(Optional)
I/O Port	miniSD scard*1 up to128GB or SSD+USB3.0(gen1 ,5GB)*2+USB Type C(Data+DP+Charging)*1+3.5mm standard headphone jack *1+ HDMI A Type+DC*1 (Optional)

# 11.6" Laptop



Y11-S116G

Display	11.6" Resolution:HD/FHD/2K:2560*1440(max)
Z-height	16.6mm(11.6" Full plastic)
Hinge	135°(max) (11.6"clamshell), 360°(MAX(11.6" yoga)
Weight	1.1kg(11.6")/1.5kg
Cover	Full plastic
CPU	N5095/N5105/N4500/J4125/N4020/N4120
TPM	F-TPM(Standard)/D-TPM(Optional)
DDR	Onboard : LPDDR5/LPDDR4X 4GB/8GB/16GB(Optional)
Storage	SSD Slot 1 : PCIe 3.0/SATA 3.0 *1(M.2 Size:2280)
	SSD Slot 2 : SATA 3.0 (Size:2280)
WIFI	WIFI 802.11ac/WIFI 802.11ax(Optional)
Camera	2M/1Mw/shutter door(Optional)
Speaker	4Ω/2.0W*2(Standard)/4Ω/2.0W*4(Optional)
Battery	11.4V4500mAh (51.3W/11.6")
Adapter	DC 12V/2A 24W (GLK-R)/DC 12V/3A 36W(JSL)
I/O Port	Left:USB3.0(gen1 5Gbps)+ HDMI 1.4+Type-C(PD+DP+USB)+DC4.0
	Right:TF Card *1+Audio Jack 3.5mm+USB3.0(gen1 5Gbps)*1+RJ45

# 11.6" Laptop(IP54)



W116

Display	11.6" Resolution:HD/FHD/2K:2560*1440(max)
Z-height	16.6mm(11.6" Full plastic)
Hinge	135°(max) (11.6"clamshell)
Weight	1.1kg(11.6")/1.5kg
Cover	Full plastic
CPU	N5095/N5105/N4500/J4125/N4020/N4120
TPM	F-TPM(Standard)/D-TPM(Optional)
DDR	Onboard : LPDDR5/LPDDR4X 4GB/8GB/16GB(Optional)
Storage	SSD Slot 1 : PCIE 3.0/SATA 3.0 *1(M.2 Size:2280)
	SSD Slot 2 : SATA 3.0 (Size:2280)
WIFI	WIFI 802.11ac/WIFI 802.11ax(Optional)
Camera	2M/1Mw/shutter door(Optional)
Speaker	4Ω/2.0W*2(Standard)/4Ω/2.0W*4(Optional)
Battery	11.4V4500mAh (51.3W/11.6")
Adapter	DC 12V/2A 24W (GLK-R)/DC 12V/3A 36W(JSL)
I/O Port	Left:USB3.0(gen1 5Gbps)+ HDMI 1.4+Type-C(PD+DP+USB)+DC4.0
	Right:TF Card *1+Audio Jack 3.5mm+USB3.0(gen1 5Gbps)*1+RJ45

# 7" Mini Laptop



W7

Display	7" 1024*600 IPS
Touch	capacitive 10-touch
Dimention	186*143*21mm
Weight	0.65kg
Cover	A D metal B C Plastic
CPU	J4125 (2.7GHz)
DDR	12GB
Storage	256GB/512GB/1T SSD (optional)
WIFI	802.11ac/a/b/g/n
Camera	Front 2.0 M
Battery	7.4V*3000mAh
Adapter	DC 12V 2A
I/O Port	USB 3.0 *2+Audio Jack 3.5mm+Micro SD slot*1+DC+Micro HDMI

# 15.6" Android Laptop



OS	Android 12 /Other OS(Optional)
Display	11.6"/13.3"/14.1"/15.6"1366*768 TN/ 1920*1080 IPS
CPU	2.0GHz (MT8183/MT8788/MT8195) 2.1GHz(RK3588)
RAM	3GB / 4GB / 6GB (Optional)
Storage	32GB / 64GB / 128GB / 256GB (Optional)
Camera	Front: 2.0MP / 5.0 MP
Connector	2.4G/5G Wifi 802.11a/b/g/n / LTE Cat 7 / BT

AL15-M166S



# 14" Android Laptop



OS	Android 12 / Other OS (Optional)
Display	11.6" / 13.3" / 14.1" / 15.6" 1366*768 TN / 1920*1080 IPS
CPU	"2.0GHz (MT8183/MT8788/MT8195) 2.1GHz(RK3588)"
RAM	3GB / 4GB / 6GB (Optional)
Storage	32GB / 64GB / 128GB / 256GB (Optional)
Camera	Front: 2.0MP / 5.0 MP
Connector	2.4G/5G Wifi 802.11a/b/g/n / LTE Cat 7 / BT

AL14-M166S

# 13.3" Android Laptop



OS	Android 12 /Other OS(Optional)
Display	13.3" 1366*768 TN / 1920*1080 IPS
CPU	2.0GHz (MT8183/MT8788/MT8195) 2.1GHz(RK3588)
RAM	3GB / 4GB / 6GB (Optional)
Storage	32GB / 64GB / 128GB / 256GB (Optional)
Camera	Front: 2.0MP / 5.0 MP
Connector	2.4G/5G Wifi 802.11a/b/g/n / LTE Cat 7 / BT

AL13-M166S

# 11.6" Android Laptop



OS	Android 12 /Other OS(Optional)
Display	11.6"1366*768 TN / 1920*1080 IPS
CPU	2.0GHz (MT8183/MT8788/MT8195) 2.1GHz(RK3588)
RAM	3GB / 4GB / 6GB (Optional)
Storage	32GB / 64GB / 128GB / 256GB (Optional)
Camera	Front: 2.0MP / 5.0 MP
Connector	2.4G/5G Wifi 802.11a/b/g/n / LTE Cat 7 / BT

AL11-M166S

# POS with Printer



## X3/X3R

OS	Android/Windows
Display	8.9" 1920*1200 IPS
CPU	"Windows N3450 (2.2 Ghz)    Android RK3288 (1.6 GHz)"
Printer	58mm, diameter 60mm , without cutter
Touch	Capacitive 5 - Touch
RAM	"Windows 3GB    Android 2 GB"
Storage	"Windows 64GB    Android 32 GB"
I/O Ports	USB port*4 + LAN port (RJ45)*1+RJ11*1+ RS232*1
Connection	802.11 b/g/n, BT
Dimensions	312*151*77mm
Adaptor	24V 2.5A

# PIPO

***Ben Lai***

General Manager

## **PiPO Technology Co.,Ltd.**

ADD: Area C, 3F, Warehouse Building, BaoYunDa Logistics Center,  
Xixiang Blvd, BaoAn District, Shenzhen, China

Tel: +86-755-2350 5250

Mobile/Whatsapp/WeChat: +86-13510849433

Email: Ben.Lai@pipo.com.cn

Skype: pipotech

Website: www.pipo.com

Facebook: www.facebook.com/pipocn

[www.pipo.com](http://www.pipo.com)



[www.facebook.com/pipocn](https://www.facebook.com/pipocn)

Alibaba Online Shop: [www.pipotech.en.alibaba.com](http://www.pipotech.en.alibaba.com)

## **PiPO Technology Co.,Ltd.**

ADD: Area C, 3F, Warehouse Building, Bao Yun Da Logistics Center,  
XiXiang Blvd, BaoAn District, ShenZhen, China

Tel: +86-755-2350 5250

Skype: pipotech

Email: Ben.Lai@pipo.com.cn